### **HOMECOAT (opc) Pvt Ltd**

## "Your trusted partner"

A10, Balaji Industrial Estate,
Tondre Village, Taloja MIDC, Taloja
Dist. Raigad, Panyel, Maharashtra 410208

Phone No: - +91 82 6001 3001 eMail: - connect@homecoat.in

Web: - www.homecoat.in



## WinnerOne Reliable Water Primer

HomeCoat's WinnerOne Reliable water primer is an Acrylic Base primer recommended as a base coat for internal & external paintings. It is water thinnable & formulated to seal the base surface, so as to accept the topcoat easily & to protect the substrate & give an elegant look to the walls. The ingredients and formulations of the water primer match to or better over available standard brands.

### Key Features

- ♣ HomeCoat's WinnerOne Reliable Water Primer is very easy for application.
- ♣ Being Acrylic base it is compatible to the acrylic emulsion applied over it.
- ♣ Anti Algae, Anti Fungal protection.
- ♣ Excellent Coverage.
- Excellent hiding and gloss.

### Substrate Suitability

WinnerOne Reliable Water Primer is compatible to the following substrates –

- 👃 P O P
- ♣ Gypsum
- Asbestos sheets
- **4** Concrete
- Plaster etc.

#### How To Use

Surface Preparation

## **HOMECOAT (opc) Pvt Ltd**

## "Your trusted partner"

A10, Balaji Industrial Estate,

Tondre Village, Taloja MIDC, Taloja

Dist. Raigad, Panvel, Maharashtra 410208

Phone No: - +91 82 6001 3001

eMail: - connect@homecoat.in

Web: - www.homecoat.in



- Scrach the surface properly before applying the primer
- Ensure that the substrate to be painted is free of any dirt, dust, oil, grease, any algal/fungal growth or any other type of contamination.
- In case of pre-paitned surfaces loose old paint etc. should be thoroughly removed

#### Technical Data

Property	Data
Covering**	170 - 200 sq ft per ltr for per coat
Color / Finish	White / Smooth
Recommended DFT	15 - 20 microns per coat depending on the condition of
per coat	surface
PH Value	8 to 9
Thinning	60-100% by volume with water
Shelf Life	24 months when stored in cool & dry place in original sealed container
Top Coat	Compatible to all the existing top coating systems (viz. Distemper, Plastic Paint, Luster, etc)

<sup>\*\*</sup> The actual covering may vary depending on the condition of surface & method of application

#### Precautions

- ♣ Do not over thin or overextend the brush
- ♣ Stir well & strain before use

### Pack Size & Shade Range

♣ Pack Size Availability: 1ltr, 4ltr, 10ltr, 20ltr

## **HOMECOAT (opc) Pvt Ltd**

# "Your trusted partner"

A10, Balaji Industrial Estate, Tondre Village, Taloja MIDC, Taloja Dist. Raigad, Panvel, Maharashtra 410208 Phone No: - +91 82 6001 3001

eMail: - connect@homecoat.in

Web: - www.homecoat.in



♣ Shade - White